



CMF / CRF Details

CMF ID: 5439

Install pedestrian countdown timer

Description: Install pedestrian countdown timer

Prior Condition: Signalized intersection, no countdown timer

Category: Intersection traffic control

Study: [The impact of pedestrian countdown signals on pedestrian-motor vehicle collisions: a quasi-experimental study, A. Camden, R. Buliung, L. Rothman, C. Macarthur, and A. Howard, 2012](#)

Star Quality Rating:



[\[View score details\]](#)

Crash Modification Factor (CMF)

Value: 0.967

Adjusted Standard Error:

Unadjusted Standard Error: 0.067

Crash Reduction Factor (CRF)

Value: 3.3 (This value indicates a **decrease** in crashes)

Adjusted Standard Error:

Unadjusted Standard Error:

6.7

Applicability

Crash Type:

Vehicle/pedestrian

Crash Severity:

All

Roadway Types:

All

Number of Lanes:

Road Division Type:

Speed Limit:

Area Type:

Urban

Traffic Volume:

Time of Day:

All

If countermeasure is intersection-based

Intersection Type:

Not specified

Intersection Geometry:

Not specified

Traffic Control:

Signalized

Major Road Traffic Volume:

Minor Road Traffic Volume:

Development Details

Date Range of Data Used:

2000 to 2009

Municipality:

Toronto

State:

Country:	Canada
Type of Methodology Used:	3
Sample Size Used:	Crashes
Before Sample Size Used:	1203 Crashes
After Sample Size Used:	262 Crashes

Other Details	
Included in Highway Safety Manual?	No
Date Added to Clearinghouse:	Jan-09-2014
Comments:	This CMF only applies to crashes involving older people 60+ years old.

This site is funded by the U.S. Department of Transportation Federal Highway Administration and maintained by the University of North Carolina Highway Safety Research Center

The information contained in the Crash Modification Factors (CMF) Clearinghouse is disseminated under the sponsorship of the U.S. Department of Transportation in the interest of information exchange. The U.S. Government assumes no liability for the use of the information contained in the CMF Clearinghouse. The information contained in the CMF Clearinghouse does not constitute a standard, specification, or regulation, nor is it a substitute for sound engineering judgment.